

TATORIVED IN	WOINIOW	Create Project	Shift Data	Line Configuration	Board Data	Create Simulation	Save and Exit	
A B C D E E	Customer Benefit Model		C:\lanRawlesProjects\CBM\latestinoniasz\corporation	Time to run Simulation (days)			Build your project and set up the directory for experiments	6 513
	 	5 Files	7 CBM Directory 8 CBM DE Directory 9 CBM Project Directory 10 Simulation Directory	Joiledatho	20 18 18 20 20	22 23 24 24 24	20 20 20 20 20 20 20 20 20 20 20 20 20 2	3430

FIG. 2

W X Y Z AA AB	C:\\lanRawles\\\Projects\\CBM\\latestthomas2\\So C:\\lanRawles\\\Projects\\CBM\\latestthomas2\\projects\\\052201d C:\\lanRawles\\\Projects\\CBM\\latestthomas2\\projects\\\052201d	
	- 2 m 4 m 0 m 0 0 1 1 2 2 2 1 2 1 2 1 2 2 2 2 2 2 2 2	<u>[5]</u>

_		
me	13:21 13:03 13:07 13:08	
Date & Time		
\$ 9.5 F	Microsoft Excel-Tab Microsoft Excel-Tab Microsoft Excel-Tab	
	550KB 550KB 550KB 550KB	
	Name □1 □CBM.xls □CBM.transfer.xls	
	☐ Desktop ☐ My Computer ☐ Diskette A ☐ (C:) ☐ (D:) ☐ (D:) ☐ (Becycler ☐ The CBA Calculator ☐ Test 2000 ☐ Pricing ☐ Sales Training ☐ Test 2001-05-16-01 ☐ Test 2 ☐ Test 3 ☐ Test 4 ☐ (So) ☐ Test 4	

FIG. 3

⊃			Start	33.00	888 888	88 88	999 3339 3339					 	start			22:00	
			end:t	23:00	88 88	88 88	88 88					16	eng			22:00	
S			break2 end	21:00	22 88 88	22 88	222					15	889 889 889 889				
Ж			break2 b start	21:00	22 88 88	22 88 88	22						Start				
Ø		72	upua eug	21:00	22	22	22.00					~~				18:30	
		EHS EHS	unch	20.00	88 88	88 88	999					12	Start			18:00	
0		(0)	break1 end	١			55.55 56.55					=	preak1 end			16:15	
z			break1 b	15:00	<u> </u>	### 	5555 568 588 588 588 588 588 588 588 588						oreak1 start			16:00	
×			d His	_[.	25.55 26.55 26.55	### 	55.55 50.05					_	start			14:00	
_		-	Shift	45.00	<u> </u>	<u> </u>	15.55 18.88 18.88					∞	shift			14:00	
×			break 2		385 385	9899 8899	255 255 255 255					7	break 2 end				
			break 2 b		365 365	<u> </u>	355 366 366					9	break 2 start				
		-	- <mark>등</mark>	_ا	<u> </u>	888 888	355 355 355 355					ည				10:30	
I		SHIFT	usum		388	388	355 355 355 355 355 355 355 355 355 355					4	Sach			10:00	
9		C.	break 1 lu	5	385	388	355					က				8:15	
	_		break 1 bre	le	5,5,5 5,5,5,5	388	325 385					^	—			8:00	
	Main		1			388	388 388		not working			•	shift start			00:9	
				SUIL					<u>no</u>		೧೯೯	385	3 =		w4	လစဉ်	=
						<u> </u>	444	0-	00	SS-	<u> </u>	1538 2538 2526	5		<u></u>	· · · · · · · · · · · · · · · · · · ·	-
c	,	9	חבר						ies ines		മ	iĝe					
-		2	전 5					or model	eak appl for mach	jear r vear	ly/average	per week per week/average	ਰ				
<u> </u>		4	OIIII OCHEONIE		क्रिक्	lednesday hursday	iday tay	shifts apply for model	Only lunch break applies Breaks apply for machine	Weeks per year Days off per year	rs per day rs per day	ours per week ours per week	as her ye				
	<u> </u>			3	4 Monday 5 Tuesday	6 Wedneść 7 Thursday	Saturday Saturday	11 Shift		15 Wee		20 19 Pours		2 23	श्रश	5 8 8 K	R

FG. 4

													1
0	23:00	i I	23:00										
_	23:00	7:00	23:00										
ဟ		3:15											
<u>~</u>		3:00											
o	3.0	0:30	21:00										
م		9.00											
С	,	0:15	2										
2		00:00											
_ ≥	2	10:30 20:00 2	2003										
	7 2	00.00	200	2			_						1
	<u>-</u> `	- T	5	-									
-		45:00 45:45	- 20.00										
-		3.60 3.60	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3									
-		12:00 13:00	38	3									
ļ	5	; ;	သ က က	=									
ŀ	_	,	~ 00:8										
ŀ		2:00		<u>3</u>									
ŀ	Ш	ľ	<u>e</u>		200	9 1	_	<u>~</u>	<u>ත</u>	<u></u>	<u></u>	SI	33
	Ω		~				•	•	•	•			
	ပ												
	В												
	A	1	IC.	~	E T	100	ı.	II-	lœ.	ि	गट	ज्	-اد <i>ر</i>
	L	က	었	က်	က်	က်	m	ကြ	ကြ	Ć.	<u> 14</u>	14	4

FIG. 4A

reference in the Marketine III.

						l
A0			•			
AN	ſ		break2	28888888	00:00	
AM		3	break1 b	2888888 5666666	00:0	
AL /		shift 3		3888888	96:	
Ą			total	20000000000000000000000000000000000000	00:	
AJ						
 -			break1 br	8888888 88888888	0:00	
¥		shift 2		<u> </u>	7:00	
AG			total	00000000000000000000000000000000000000	29:00	
AF			break2		00:0	
AF			break1 bi	8888888 888888888888888888888888888888	00:00	
AD I		shift '	lunch	<u> </u>	7:00 00 00 00 Default	
_ ر	-		total	88888888 88888888		
QV			shift	8888888	24 shift end	
\ <	\		break 2	38888888 38888888888888888888888888888	23 23 end 2 sh	
,	7	က	break 2	000000	22 start 2	
,	- }	世	Loung Loung	288888	23 123 230 230 230	
-		SE SE	toun Milos	2444444 2000000000000000000000000000000	tiunch 20 20 2:00 2:00 2:00 2:00 2:00 2:00 2:	
	×		break 1	 	_ _ _	,
ŀ	^ - >		break 1 t		_	- 1
ŀ	+	- ~	-		0 + 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	ဓ္က
					29	i

FIG. 4B

AL AM AN AO	
AL AM AN	
AL AM	
T	
1	
AK AL	
8	
AH AI	
H H	
AG	
AF	
AE	
AD mer 1 mer 2 mer 2 mer 2 mer 3 mer 4 mer 4	
AC AD AE → Customer 1 → Customer 3 → Customer 4	
AB AC AD 7:00 > Customer 1 > Customer 3 > Customer 4 > Customer 4	
AA	
5:00	
X 4:00 5 7	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
<u> </u>	
28888888888888888888888888888888888888	47

FIG. 4C

FIG. 5

FIG. 5A

	FIG. 5B
AU AV AW AX AY AZ	Bare Board Loader Buffer Conveyor 1060 Conveyor 1590 Conveyor 2380 F4 x 2 / SPL F4 x 3 / SPL F5 x 3 / SPL F6 x 3 / SPL F7 x 3 / SPL F8 x 3 / SPL F8 x 3 / SPL F9 x 3 / SPL F1 Squagazine Buffer MB50 Magazine Loader ML05 Magazine Loader ML05 Magazine Loader ML05 Magazine Unloader ML05 MAGAZINE
	-00040001101111111111111111111111111111




FIG. 5C

FIG. 6

S	Line	min /	TTR IMTBE MITH IMIBE WITH INTER WITH WIEW 163.20	163.20 163.20 680.00								60 1 163.20	163.20	163.20 60 1 60 1		
C B				or o	4 ro (9/0	0 0 C	2 = 2	<u>ස </u>	15	18	20 1	7300 0 7511 1	7521 1 7531 1	7501 1	1040
A		Database		1002	-		<u>2</u> 00	12	17	100	<u>221</u>				29 Conveyor 530 30 Conveyor 530 31 Conveyor 790	

FIG. 7

E.	22222222222222222222222222222222222222
0	1
	28288888888888888888888888888888888888
0	<u>ක්තත්ත ක ක ක ක ක ක ක ක ක ක ක ක ක ක ක ක ක</u>
F	
Z	
∑	\$\frac{4}{2}\frac{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac{2}{2}\frac
7	
ا ا	
I	
G	
F	ම විමති සිට සිට සිට සිට සිට සිට සිට සිට සිට සි
	UW-UWOU400000000
D	
ပ	
В	1043 1055 1055 1055 1055 1055 1055 1055 105
	F4 x 2/SPL F4 x 3SPL F5 x 3/SPL F5 x 3/SPL F5 x 3/SPL F1 Station 180 HS-50 x 2/SPL HS-50 x 2/SPL HS-50 x 3/SPL HS-50 x 3/SPL HS-
A	F4 x 2/SPL F4 x 3SPL F5 x 3/SPL F5 x 3/SPL F5 x 3/SPL F1 Station 180 HS-50 x 2/SPL HS-50 x 2/SPL HS-50 x 3/SPL HS-50 x 3/SPL HS-
	F4 x 2/SPL F4 x 3SPL F5 x 3/SPL F5 x 3/SPL F5 x 3/SPL F1 Station 180 HS-50 x 2/SPL HS-50 x 3/SPL Last Lift Magazine Buffer MB50 Magazine Loader ML0 Magazine Unloader MI Magazine Unloader MI Magazine Unloader MI Magazine Unloader MI Magazine Unloader MI Magazine Unloader MI Magazine Loader MLO Magazine Loader MLO Magazine Loader MI Magazine Loader MI Mag
	F4 x 2/SPL F5 x 3/SPL F5 x 3/SPL F5 x 3/SPL F1 Station 1 F1 Station 1 F2 Station 1
	80000000000000000000000000000000000000

FIG. 7A

В	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Ø		
_	\$\partial \partial \part	
0		
Z		
N		
\overline{A}		
E		
F	 - -	ĺά
F		
C		
\vdash	ම ම ම ම ම ම ම ම ම ම ම ම ම ම ම ම ම ම ම	-
	UM-UMOU40000000	
ŀ		
6	٦	
ŀ	727000117777777777777777777777777777777	
ľ	 	
	on trol on temp co	
	AB100 AB50 AL05 er MU05 er MU05 er MU05 or Tane o 2 lane o 1 lane	
	A X 2 / SPL 4 x 3 / SPL 5 x 2 / SPL 5 x 3 / SPL 19 Station 180 18-50 x 2 / SPL 18-50 x 3 / SPL 18-50	
	F4 x 2 / SPL F4 x 3 / SPL F5 x 2 / SPL F5 x 2 / SPL F5 x 3 / SPL Fig Station 180 HS-50 x 3 / SPL HS-50 x 3 / S	
	TITTE THE TAXABLE PROPERTY OF THE PROPERTY OF	88
	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	<u>യ</u>

FIG. 7B

FIG. 7C

AH					
AG					
AF					
				S	855 555 58
AE					
H	ſ		_		_
AD		puloq	routing		Printermo B1 con5_2001 con5_2001 con5_2001 con5_2001 con5_2001
			_		S S S S S S S S S
AC		witness	lual lane		er Conv2_2 Conv3_2 Conv4_2 Conv1_2 Conv5_2 S25
					SSO Co Co
AB		witness	single lane		BareBoard_Loader Buffers Conv2_1 Conv3_1 Conv4_1 Conv4_1 Conv5_1 S25 L1
A					## 200008
Z AA		grafic	high leyel Iength offset		
>		grafic	set_	000000000000000000	
×		B			200 150 150 150 150 200
≥			arly MTTM	000000000000000000000000000000000000000	388888888
>				8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8160.0 8160.0 8160.0 8160.0
D			Teny		
⊢			quarterly MTBM MT	4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00	14080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00 4080.00
S		(h/min)			
	 	-	7604	See	<u> </u>

FIG. 7D

FIG. 7E

АН	
AG	
AF	
Y	
AE	
H	
AD	
AC	
AB	
AA	
7	
٨	
×	
≥	
^	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
⊃	
	4080.00 4080.0
S	
	80777777878888888888888888888888888888

FIG. 7F




FIG. 8

					18	300	
-	21					55 65	
_						366 866	
×	50					00	
8	6					666 666	
						666 666	
>	8	49				666 666	
)	1						
	9					666 666	
						666	200
တ	र्ट						
2	14					666	222
						88	888
O	13					0	6
<u>a</u>	42					666	8
					ļ	666	66
0	11					6	999
z	10						6
	- 2	€ 4 r	091	- ထြ တ	위=	<u>57</u> £	4

FIG. 8A

2 AA AB AC AD AF AG AH AH AG AH										
Z AA AB AC AD AE AF 22 23 24 25 26 27 28 22 23 24 25 26 27 28 24 25 26 27 28 25 26 27 28 26 27 28 27 28 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399	AH	30						000	666	
Z AA AB AC AD AE AF 22 23 24 25 26 27 28 22 23 24 25 26 27 28 24 25 26 27 28 25 26 27 28 26 27 28 27 28 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399 399								٥	200	
22 23 24 25 26 27 22 23 24 25 26 27 24 25 39 999 999 999 999 999 999 999 999 999	AG	29						8	888	
22 23 24 25 26 22 23 24 25 26 23 999 999 999 999 999 999 999 999 999 9	AF	78							5 5 5 5 6	
Z AA AB AC A 22 23 24 25 22 23 24 25 3 999 999 999 999	AE	27							666 666	
22 23 24 22 23 24 399 999 999 999 999 999 999 999 999 999	AD	×	3						0 0 0 0 0 0	
Z AA A A A A A A A A A A A A A A A A A	AC	76	3						000 000 000	
Z	AB	Č	5 7						666 666	3
	AA	5	23						666	222
1 2 6 4 5 9 7 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5			55						666 666	222
		-	વહ	4 س	9 /	ထဝ	निः	- 5	13	4

FIG. 8B




FIG. 9

odii.




FIG. 9A




FIG. 9B




FIG. 10

FIG. 11




FIG. 12




FIG. 13

		c	2	Ш	Ц	IJ	Ŧ	_
A	В	٥		who does		line	maint.	downtime
, Maintenance		minutes	# of workers	maint.	factor	operator (h)	team (n)	(E)
9 line workers			0				0	
3 maintenance per shift (min)				- - 1	100%	000	900	50/AC#
4 maintenance weekly (min)		-		<u> </u>	% 000 1	0///		
5 maintenance monthly add. (min				<i>1</i> 0°	% 0 0 0 0 0			
6 maintenance quarterly add (mir				יי כי	% 0 0 0 0 0 0 0 0 0 0			
7 maintenance every x h add (mil	10,000			2	2/20	0/\IU#		
8 maintenance time calculated (h)	_					:0/\C#	10/\IQ#	0
9 labor costs								
							IO/VIC#	0.000000 €
11 maintenance costs per year								
12								
13								
14								
15								
16								
<u> </u>								
00								
20					Main			
21								
66								

FIG. 14

			ц -	Ц		- H	ſ	ス
	Cost of Ownership	B	per ye	Cost p	Cost per board	%	Capacity	9ar 0.00
100 A 10	<u> </u>	%% 	0000	0 0 0 0 0 0 0 0 0 0 0 0	i0,	####	internal setup maintenance quality technical availability	#DIV/0I #DIV/0I #DIV/0I
9 1 1 1 1 1 1 1 1				i0/\ld# 0	0 i0/	#######################################	boards per hour boards per shift boards per week boards per year	83.56 #DIV/0! #DIV/0! #DIV/0!
12 4 13 15 15	Misc. Setup Maintenance		i0/\lq# 0	0 0 0 0 0 0 0	0 i0/	######		
5000000000000000000000000000000000000	17 Utilities 19 Floorspace 20 Electricity 21 Nitrogen 22 Air	sqm kw cbm/h NI/min	i0/\lQ# #DIV\0i #DIV\0i 0	io//\ld# 0		####		
calcalcalca	24 25 Quality 26 rework costs per year 27 scrap costs per year 28		i0/\lQ# #DI\\\0i #DI\\\0i	0 0 0 10 10 10	#DIV/0i	###	Main	
-4-7	250 30 30 30 30		#DIV/0!	0 #DIV/0!		0		
ئــُــــ	31 Costs per year			i C	L			

FIG. 15




FIG. 16







FIG. 16A





[CBM			
PROCESSES	CONSULTATIVE SALES	SYSTEM DESIGN OPTIMIZATION	EQUIPMENT CERTIFICATION		KNOWLEDGE MANAGEMENT	•
SOFTWARE TOOLS	MODELING SIMULATION		MONITORING	DECISION SUPPORT	RUN-TIME PERFORMANCE OPTIMIZATION	AUTOMATED CONTROL
CONTRACT BASIS	PERFORMANCE METRIC(S)			FINANCIAL		FIG. 19
TARGET	PCB-ASSEMBLY					







FIG. 2






FIG. 23









FIG. 24














FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36